© EPODOC / EPO

- PN DE4205143 C1 19930304
- Support stand for trombone has telescopic bar, whose end is connectable selectively to one of two socket ends
- The instrument stand support conforms to the trombone bell shape and can be clamped on a telescopic rod which has feet which radiate out from a base fitted to the rod end. One end of the rod (2) can be selectively and releasably joined to either opposing base end (6a, b) set both sides of the base in the rod sense. The feet (5) are formed from two hinged parts (5a, b) so that they are prevented from swinging out from their transit position parallel to the rod when the rod end is connected to base end (6a).


 ADVANTAGE-Allows rapid deployment and retraction of stand.
- EC G10G5/00
- CT DE3237420 C2 []; US2920851 A []; US1268363 A []
- AP DE19924205143 19920220
- PR DE19924205143 19920220
- DT *

© WPI / DERWENT

- AN 1993-068204 [09]
- Support stand for trombone has telescopic bar, whose end is connectable selectively to one of two socket ends
- DE4205143 The instrument stand support conforms to the trombone bell shape and can be clamped on a telescopic rod which has feet which radiate out from a base fitted to the rod end. One end of the rod (2) can be selectively and releasably joined to either opposing base end (6a, b) set both sides of the base in the rod sense.
 - The feet (5) are formed from two hinged parts (5a, b) so that they are prevented from swinging out from their transit position parallel to the rod when the rod end is connected to base end (6a).
 - ADVANTAGE-Allows rapid deployment and retraction of stand.
 - (Dwg.1/20)
- IW SUPPORT STAND TROMBONE TELESCOPE BAR END CONNECT SELECT ONE TWO SOCKET END
- PN DE4205143 C1 19930304 DW199309 G10G5/00 013pp
- IC G10G5/00
- DC P86
- PA (KOEN-N) KOENIG & MEYER GMBH & CO KG
- IN LIPPERT H
- AP DE19924205143 19920220
- PR DE19924205143 19920220

DE 42 05 143 C1

Int. Cl.5: G 10 G 5/00




DE 42 05 143 C1

Int. Cl.5:

G 10 G 5/00


Veröffentlichungstag: 4. März 1993



Nummer: Int. Cl.5:

DE 42 06 143 C1 G 10 G 5/00

Veröffentlichungstag: 4. März 1993




DE 42 06 143 C1

Int. Cl.5:

G 10 G 5/00

Veröffentlichungstag: 4. März 1993

Fig.5



208 169/367

DE 42 06 143 C1

Int. Cl.⁵:

G 10 G 5/00

Veröffentlichungstag:

4. März 1993





Fig. 9




DE 42 05 143 C1

Int. Cl.5:

G 10 G 5/00

Veröffentlichungstag: 4. März 1993




DE 42 05 143 C1


Int. Cl.5:


G 10 G 5/00

Veröffentlichungstag:

4. März 1993







208 169/367

DE 42 06 143 C1

Int. Cl.5:

G 10 G 5/00 Veröffentlichungstag: 4. März 1993

